

Scientific References

- 1)** Visser M, Bouter LM, McQuillan GM, Wener MH, Harris TB. Elevated C-reactive protein levels in overweight and obese adults. *JAMA*. 1999;282:2131–2135.
- 2)** Pradhan AD, Manson JE, Rifai N, Buring JE, Ridker PM. C-reactive protein, interleukin 6, and risk of developing type 2 diabetes mellitus. *JAMA*. 2001;286:327–334.
- 3)** Esposito K, et al. Effect of weight loss and lifestyle changes on vascular inflammatory markers in obese women: a randomized trial. *JAMA*. 2003;289:1799–1804.
- 4)** Samaras K, Botelho NK, Chisholm DJ, Lord RV. Subcutaneous and visceral adipose tissue gene expression of serum adipokines that predict type 2 diabetes. *Obesity*. 2010;18:884–889.
- 5)** Fried SK, Bunkin DA, Greenberg AS. Omental and subcutaneous adipose tissues of obese subjects release interleukin-6: depot difference and regulation by glucocorticoid. *J. Clin. Endocrinol. Metab.* 1998;83:847–850.
- 6)** Chatterjee TK, et al. Proinflammatory phenotype of perivascular adipocytes: influence of high-fat feeding. *Circ. Res.* 2009;104:541–549
- 7)** Takaoka M, et al. Periadventitial adipose tissue plays a critical role in vascular remodeling. *Circ. Res.* 2009;105:906–911.
- 8)** Hotamisligil GS, Shargill NS, Spiegelman BM. Adipose expression of tumor necrosis factor- α : direct role in obesity-linked insulin resistance. *Science*. 1993;259:87–91
- 9)** Zhang Y, et al. Positional cloning of the mouse obese gene and its human homologue. *Nature*. 1994;372:425–432.
- 10)** Shimomura I, et al. Enhanced expression of PAI-1 in visceral fat: possible contributor to vascular disease in obesity. *Nature Med.* 1996;2:800–803.
- 11)** Hu E, Liang P, Spiegelman BM. AdipoQ is a novel adipose-specific gene dysregulated in obesity. *J. Biol. Chem.* 1996;271:10697–10703
- 12)** Scherer PE, Williams S, Fogliano M, Baldini G, Lodish HF. A novel serum protein similar to C1q, produced exclusively in adipocytes. *J. Biol. Chem.* 1995;270:26746–26749.
- 13)** Xu H, et al. Chronic inflammation in fat plays a crucial role in the development of obesity-related insulin resistance. *J. Clin. Invest.* 2003;112:1821–1830.